


SUPERBLY ENGINEERED DOORS







REIMAGINING RESIDENTIAL DOOR STANDARDS

Pioneer are the UK's exclusive distributors of the Gerda residential door range, delivering style and performance in equal abundance. Pound for pound, Gerda categorically outclass and outperform any other door. Choose the doors forged with strength, resilience and durability.



TABLE OF CONTENTS

INTRODUCTION	2
GERDA® THERMO PRIME 75	4
NEW DOOR DESIGNS	6
DOOR DESIGNS	8
HARDWARE CONFIGURATIONS	16
LOCK CYLINDER CONFIGURATIONS	17
LETTERPLATE OPTIONS	17
COLOUR OPTIONS	18
tedee POWERED BY GERDA®	20
INSPIRATIONAL IMAGERY	22

GERDA® THERMO PRIME 75



 $U_p = 0.79 / 0.9 W/m^2 K$

RC2

GERDA® THERMO PRIME 75



Adjustable hook hitches with flexible teflon insert



3 hinge guards



Hinges adjustable in three planes with caps matching fitting's colour



Adjustable keep enables smooth adjustment of the contact force of door and seals



ALUTHERM 75 aluminium frame



DOOR THICKNESS



5-point mortise lock or 3-point automatic lock



Ring escutcheon available with a handrail



AB system Class 6 lock cylinder



Composite threshold connector



Door leaf with thermal



Bottom weather seal



4 sides rebated Low, aluminium threshold with thermal break



Cill, 4 sizes available: 120 mm, 150 mm, 180 mm, 230 mm

DIMENSIONS



WIDTH (MIN-MAX)*


840 mm - 1130 mm

HEIGHT (MIN-MAX)*

1950 mm - 2200 mm / 2400 mm**



** Doors over 2200 mm available only for choice of colours and designs and not tested for security or weather resistance.



ALUTHERM 75 aluminium frame



tedee PRO smartlock + bridge



NEW design added to range. Meet the **GERDA Hawkstone**.





CLASSIC FRAMES





Decorative mouldings in the doors of the ELITE 3D series are made of thick aluminium profiles and attached to the leaf with special hooks. The frames are made in the colour of the door leaf.

DOOR	COLOURS	MAX HEIGHT*
FSB	WHITE	2200 mm
FKZ	STEEL GREY	2100 mm
FKG	ANTHRACITE	2200 mm
FKF	DARK ANTHRACITE	2200 mm
FKC	BLACK	2100 mm
FRR	ALPINE WALNUT	2100 mm
FMA	MAHOGANY	2087 mm
FRB	BRAZILIAN WALNUT	2100 mm
FRP	LIGHT WALNUT	2200 mm
FDE	GOLDEN OAK	2200 mm
FDW	WINCHESTER	2200 mm
FDT	TURNER OAK	2087 mm
FEJ	LIGHT WENGE	2100 mm


DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*

^{*} Certain conditions apply.


** Hawkstone comes with double side pattern as a standard

HARDWARE OPTIONS

HARDWARE & LETTERPLATE COLOURS










BERGEN TW300

KNOB-HANDLE



GLASS COLOURS














CILL OPTIONS

Cills with thermal compensation available in door colour.











AGB LINZ 1*



AGC LINZ 2*



AGD LINZ 3*



LINZ* – internal side: plain with frame as standard



AGG GRAZ 3*



AGGB GRAZ 3 B*



GRAZ* – internal side: plain with frame as standard



AGA SALZBURG*



KWA PASAWA 1



KWA PASAWA 1



KWB PASAWA 2



KWC PASAWA 3









AGE GRAZ 1*





AGF GRAZ 2*



SALZBURG* – internal side: plain with frame as standard



AGH VILLACH**



AGHB VILLACH B**



AGHB VILLACH B**



KWCB PASAWA 3 B



KWD PASAWA 4



PASAWA – internal side: plain with frame as standard



KW4 JENA 4



KWE JENA 3



JENA – internal side: plain with frame as standard



KWF BAMBERG 1



KWF BAMBERG 1



KWK ULM 2



KWK ULM 2



ULM – internal side: plain with frame as standard



KWL TREWIR 1







KWS DORFEN



KWSB DORFEN B



KWG BAMBERG 2



KWH BAMBERG 3



KWI BAMBERG 4



BAMBERG – internal side: plain with frame as standard



KWL TREWIR 1



KWMB TREWIR 2 B



KWN TREWIR 3



KWP TREWIR 4



KWS DORFEN



DORFEN – internal side: plain with frame as standard



KWT KASSEL 1



KWXB KASSEL 2 B



KWT KASSEL 1



KASSEL – internal side: plain with frames as standard



KPN KRONACH 1



KPP KRONACH 2



KPK REGEN 2



KPL REGEN 3



KPS REGEN 4



KPM REGEN 5



DREZNO – internal side: plain as standard, double-sided design extra charge



KPA ERFURT 1



KPAB ERFURT 1 B



KPB ERFURT 2



KPPB KRONACH 2 B



KRONACH – internal side: plain as standard, double-sided design extra charge



KPJ REGEN 1



KPJ REGEN 1



KPR REGEN 6



KPRB REGEN 6 B



REGEN – internal side: plain as standard, double-sided design extra charge



KPH DREZNO 4



KPC ERFURT 3



ERFURT – internal side: plain as standard, double-sided design extra charge

COLOURS	MAX HEIGHT*
WHITE	2400 mm
STEEL GREY	2100 mm
ANTHRACITE	2400 mm
DARK ANTHRACITE	2400 mm
BLACK	2100 mm
ALPINE WALNUT	2100 mm
MAHOGANY	2087 mm
BRAZILIAN WALNUT	2100 mm
LIGHT WALNUT	2400 mm
GOLDEN OAK	2400 mm
WINCHESTER	2400 mm
TURNER OAK	2087 mm
LIGHT WENGE	2100 mm
	STEEL GREY ANTHRACITE DARK ANTHRACITE BLACK ALPINE WALNUT MAHOGANY BRAZILIAN WALNUT LIGHT WALNUT GOLDEN OAK WINCHESTER TURNER OAK

DOOR RANGE	WIDTH	HEIGHT*
AIR GLASS	840 – 1130 mm	2087 mm**
AIR GLASS VILLACH	1030 – 1130 mm	1950 – 2400 mm*
QUADRO	840 – 1130 mm	1950 – 2400 mm*

^{*} Certain conditions apply.

** AIRGLASS height is fixed at 2087mm without cill.



HAWKSTONE – double-sided design as standard



ELA BRIG



ELB OLTEN



ELC VISP



NS1 MILANO 8



NS1B MILANO 8 B



NS2 MILANO 9



NS3 MILANO 10



NS5B HANOVER 5 B



HANOVER – internal side: double-sided design as standard



NS6 HANOVER 6



NS7 INNSBRUCK







ELITE 3D FRAMES CLASSIC MODERN

ELITE 3D – internal side: plain as standard, double-sided design extra charge









NS4 MILANO 11

NS9B MILANO 12 B

MILANO – internal side: double-sided design as standard







W00 PLAIN - internal side

DOOR	COLOURS		MAX HEIGHT*
FSB	WHITE		2400 mm
FKZ	STEEL GREY		2100 mm
FKG	ANTHRACITE		2400 mm
FKF	DARK ANTHRACITE		2400 mm
FKC	BLACK		2100 mm
FRR	ALPINE WALNUT		2100 mm
FMA	MAHOGANY		2087 mm
FRB	BRAZILIAN WALNUT		2100 mm
FRP	LIGHT WALNUT		2400 mm
FDE	GOLDEN OAK		2400 mm
FDW	WINCHESTER		2400 mm
FDT	TURNER OAK		2087 mm
FEJ	LIGHT WENGE		2100 mm
DOOR	RANGE	WIDTH	HEIGHT*
DOOK	MANUE	WIDIII	TILIOTT'

ELITE 3D 840 - 1130 mm 1950 - 2400 mm* TEMPO 840 - 1130 mm 1950 - 2400 mm*

^{*} Certain conditions apply.







HARDWARE COLOURS











CILL OPTIONS

Cills with thermal compensation available in door colour.











CYLINDER COLOURS

BLACK NICKEL

AB KEY SYSTEM

A



2 x INSTALLER'S KEY

SINGLE KEY SYSTEM - ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

INSTALLER'S KEY "A" OPERATES THE CYLINDER UNTIL "B" KEY IS USED BY END USER.

B



5 x END USER'S KEYS

SINGLE KEY SYSTEM - ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

USE OF "B" KEY DEACTIVATES INSTALLER'S KEYS. A SEALED OPAQUE BAG INCLUDES SET OF "B" KEYS AND CODE CARD.

LETTERPLATE OPTIONS







SIDE & TOP LIGHTS




SIDE LIGHT

WIDTH	300 - 900 mm	
HEIGHT	1950 - 2200 mm	

TOP LIGHT

WIDTH	840 – 2950 mm
HEIGHT	300-500 mm

Widths and heights come in increments of 10 mm.



TWO-COLOURED DOOR*

To obtain a unique configuration of the door to our house, we can combine any two colors from the available TERRA palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge. Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.




DOOR COLOURS



INSERT COLOURS



GLASS COLOURS



tedee smart locks



tedee GO

Replace nothing. Keep your keys.

Just add a smart lock to your existing setup.

For those who want to keep it simple and enjoy the main smart lock features.

tedee PRO

Enter with pleasure.

Experience the luxurious feel of top-notch materials and award-winning design.

Enjoy the most superior smart lock on the market. Sleek, quiet, and with a unique look.



Add extra smart benefits



tedee smart bridge

Your front door remote

Connect your smart lock to the internet to control your door from wherever you are.

Unlock your door remotely, check the real-time smart lock's activity, and control it using one easy mobile widget.



Unlock with your PIN

Put a small keypad outside your home to unlock the door without keys or smart devices.

Just use the PINs or fingerprint for access sharing and security whilst maintaining total privacy.





tedee smart relay module

Make gates and garages smart

Manage your street entrance, front gate, and garage door, all in one app.

Replace your remote control, fobs, cards or keys with your mobile phone.

Choose your **tedee** smart lock





Tedee GO

160	166	$\boldsymbol{\nu}$	()
160		Γ	$lue{}$

Max diameter	57mm	45mm		
Depth	63mm	55mm		
Power source	3 x replaceable CR123A/R batteries	Rechargeable Li-Po accumulator		
Battery life	Up to 6-8 months Up to 6-10 months			
Installation method	On top of the existing European cylinder	Tedee-compatible European cylinder		
Available adapter	Scandinavian, US Deadbolt	European, Scandinavian, US Deadbolt		
Available smart home integrations*	Hey Google	Apple Home Homey Hey Google FIBARO		
		Amazon Alexa and 10+ more		

Full compatibility with inward-opening doors Compatibility on outward-opening doors

Cylinder to doorframe distance **

min 40mm min 30mm

^{**} Measured from the inside with the door closed: the distance between the cylinder axis and the door frame.



FEATURES & BENEFITS



CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



INSTALL THE SMARTPHONE APP

DOWNLOAD THE TEDEE APP FROM APPLE STORE OR GOOGLE PLAY.
SIGN UP AND ACTIVATE YOUR
BLUETOOTH, LOCATION SERVICE
AND INTERNET ACCESS. ADD
YOUR LOCK AND ENTER
THE ACTIVATION CODE.



CONNECT THE BRIDGE


FIND A FREE POWER SOCKET
NEXT TO THE TEDEE LOCK AND
PLUG THE BRIDGE IN. THIS WILL
ENABLE YOU TO CONTROL THE
LOCK OVER THE INTERNET FROM
WHEREVER YOU ARE.

^{*} Status for June 2023











SUPERBLY ENGINEERED DOORS



AIR GLASS · AGA SALZBURG· ALPINE WALNUT · INSERT INOX · AMSTERDAM · RING ESCUTCHEON

www.gerdadoors.co.uk sales@gerdadoors.co.uk

Distributor